

	Type	Hits	Search Text
1	IS&R	8	((("4723248") or ("5237577") or ("5278855") or ("5325227") or ("5345454") or ("5815519") or ("6034975") or ("6141359"))).PN.
2	BRS	8	two near photon near absorber
3	BRS	8	(two near photon near absorber) and laser
4	BRS	89	((two near photon) (power near limiter)) and laser and (Q-switch\$3)
5	BRS	29	((two near photon) (power near limiter)) and laser and (Q-switch\$3) and (mode-lock\$2)
6	BRS	32	((two near photon) (power near limiter)) and laser and (Q-switch\$3) and ((mode-lock\$3) (mode near lock\$3))
7	BRS	3	((two near photon) (power near limiter)) and laser and (Q-switch\$3) and ((mode-lock\$3) (mode near lock\$3)) and (saturable near absorber)
8	BRS	3	((two near photon) two-photon (power near limiter)) and laser and (Q-switch\$3) and ((mode-lock\$3) (mode near lock\$3)) and (saturable near absorber)
9	BRS	11	4723248.URPN.
10	BRS	11	4723248.URPN.
11	BRS	4	4633475.URPN.
12	BRS	1	zahn.xa.
13	BRS	3	(two near photon) and laser and (Q-switch\$3) and ((mode-lock\$3) (mode near lock\$3)) and (saturable near absorber)
14	BRS	0	(two near photon) and laser and (Q-switch\$3) and ((mode-lock\$3) (mode near lock\$3)) and (saturable near absorber) and InP
15	BRS	0	(two near photon near absorber) and laser and (saturable near absorber) and InP
16	BRS	1	(two near photon near absorber) and laser and (saturable near absorber) and \$3InP\$3
17	BRS	7	(two near photon near absorber)and \$3InP\$3

	DBs	Time Stamp	Comments	Error Definition
1	USPAT	2001/05/10 14:57		
2	USPAT	2001/05/15 11:22		
3	USPAT	2001/05/15 11:24		
4	USPAT	2001/05/15 11:25		
5	USPAT	2001/05/15 11:26		
6	USPAT	2001/05/15 11:27		
7	USPAT	2001/05/16 12:14		
8	USPAT	2001/05/15 11:29		
9	USPAT	2001/05/15 11:32		
10	USPAT	2001/05/15 11:35		
11	USPAT	2001/05/15 11:38		
12	USPAT	2001/05/16 12:02		
13	USPAT	2001/05/16 12:17		
14	USPAT	2001/05/16 12:17		
15	USPAT	2001/05/16 14:06		
16	USPAT	2001/05/16 14:07		
17	USPAT	2001/05/16 14:02		

	Errors
1	0
2	0
3	0
4	0
5	0
6	0
7	0
8	0
9	0
10	0
11	0
12	0
13	0
14	0
15	0
16	0
17	0

	Type	Hits	Search Text
18	BRS	0	(two near photon near absorber) and InP
19	BRS	52	laser and (saturable near absorber) and InP
20	BRS	1	laser and (saturable near absorber) and InP and (Two near Photon)
21	BRS	1	laser and (saturable near absorber) and InP and TPA
22	BRS	24	laser and InP and (Two near Photon)
23	BRS	2	laser and (InP same (Two near Photon))
24	IS&R	17	((("6160504") or ("5832008") or ("5388114") or ("5283697") or ("RE34520") or ("5280169") or ("5252256") or ("5119382") or ("5086239") or ("5080469") or ("4952016") or ("5912257") or ("5164953") or ("4901323") or ("4693545") or ("5754714") or ("5299170"))).PN.
25	BRS	31	laser and ((two near photon) same (mode near locked))
26	BRS	32	laser and ((two near photon) same (mode near lock\$3) same puls\$3)
27	BRS	2	laser and ((two near photon) same (mode near lock\$3) same puls\$3) and InP
28	BRS	11	laser and ((two near photon) same (mode near lock\$3) same puls\$3) and (Q-switch\$3 (Q near switch\$3)) and (CW (continuous near wave))
29	BRS	1	laser and ((two near photon) same (mode near lock\$3) same puls\$3) and ((Q-switch\$3 (Q near switch\$3)) same suppressi\$3) and (CW (continuous near wave))
30	BRS	0	laser and ((two near photon) same (mode near lock\$3) same puls\$3) and ((Q-switch\$3 (Q near switch\$3)) with (suppressi\$3 attentuat\$3)) and (CW (continuous near wave))
31	BRS	3	laser and ((mode near lock\$3) same puls\$3) and ((Q-switch\$3 (Q near switch\$3)) with (suppressi\$3 attentuat\$3)) and (CW (continuous near wave))
32	BRS	1781	(absorb\$3 with puls\$3) and laser
33	BRS	167	(absorb\$3 near puls\$3) and laser

	DBs	Time Stamp	Comments	Error Definition
18	USPAT	2001/05/16 14:07		
19	USPAT	2001/05/16 14:11		
20	USPAT	2001/05/16 14:12		
21	USPAT	2001/05/16 14:11		
22	USPAT	2001/05/16 14:16		
23	USPAT	2001/05/16 14:19		
24	USPAT	2001/05/16 14:24		
25	USPAT	2001/05/16 14:26		
26	USPAT	2001/05/16 14:34		
27	USPAT	2001/05/16 14:32		
28	USPAT	2001/05/16 14:38		
29	USPAT	2001/05/16 14:41		
30	USPAT	2001/05/16 14:42		
31	USPAT	2001/05/16 14:47		
32	USPAT	2001/05/16 14:49		
33	USPAT	2001/05/16 14:49		

	Errors
18	0
19	0
20	0
21	0
22	0
23	0
24	0
25	0
26	0
27	0
28	0
29	0
30	0
31	0
32	0
33	0

	Type	Hits	S arch Text
34	BRS	15	(absorb\$3 near puls\$3) and laser and (Q-switch\$3 (Q near switch\$3)) and (CW (continuous near wave))
35	BRS	0	(saturable near absorber) same (Two near photon) and (CW with laser)
36	BRS	0	((saturable near absorber) same (Two near photon)) and (CW with laser)
37	BRS	0	((saturable near absorber) same (Two near photon)) and (CW with laser)
38	BRS	1	((saturable near absorber) same (Two near photon)) and ((mode near locked) with laser)
39	IS&R	2	((("5237577") or ("5278855"))).PN.
40	IS&R	0	("L32 and (Two near Photon)").PN.
41	IS&R	0	("L32 and ((Two near Photon) TPA)").PN.
42	BRS	0	((("5237577") or ("5278855"))).PN.) and (Two near Photon)
43	BRS	0	((("5237577") or ("5278855"))).PN.) and ((Two near Photon) TPA)
44	BRS	6	(q near switch\$) near suppress\$3
45	BRS	453	(TPA (Two near Photon near absorber)) and laser
46	IS&R	137	(372/11).CCLS.
47	BRS	1	((("372/11").CCLS.) and ((TPA (Two near Photon near absorber)) and laser)
48	BRS	8	(TPA (Two near Photon near absorber)) and laser and (mode near lock\$3) and (saturable near absorber)
49	BRS	1	DE-19942954-\$.DID.
50	BRS	3	(TPA (Two near Photon near absorber)) and laser and (cw with mode with locked with puls\$3)
51	IS&R	2	((("5278855") or ("5299170"))).PN.
52	IS&R	1	("4176327").PN.
53	IS&R	3	((("4176327") or ("4227159") or ("4528668"))).PN.

	DBs	Time Stamp	Comm nts	Error Definition
34	USPAT	2001/05/16 14:59		
35	USPAT	2001/05/16 15:00		
36	USPAT	2001/05/16 15:01		
37	USPAT	2001/05/16 15:01		
38	USPAT	2001/05/16 15:06		
39	USPAT	2001/05/16 15:07		
40	USPAT	2001/05/16 15:08		
41	USPAT	2001/05/16 15:08		
42	USPAT	2001/05/16 15:08		
43	USPAT	2001/05/16 17:25		
44	USPAT	2001/05/16 17:26		Truncation Overflow. Return string from Server is: 5`206673`
45	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2001/05/17 14:36		
46	USPAT	2001/05/17 14:15		
47	USPAT	2001/05/17 14:15		
48	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2001/05/17 14:21		
49	DERWENT	2001/05/17 14:27		
50	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2001/05/17 14:37		
51	USPAT	2001/05/17 16:30		
52	USPAT	2002/09/17 14:27		
53	USPAT	2002/09/17 15:07		

	Errors
34	0
35	0
36	0
37	0
38	0
39	0
40	0
41	0
42	0
43	0
44	1
45	0
46	0
47	0
48	0
49	0
50	0
51	0
52	0
53	0

	Type	Hits	S arch Text
54	IS&R	4	((("4176327") or ("4227159") or ("4528668") or ("3764937"))).PN.
55	IS&R	2	((("4958384") or ("4999024"))).PN.
56	IS&R	3	((("4958384") or ("4999024") or ("D320872"))).PN.
57	IS&R	0	("872282.ap.").PN.
58	IS&R	21	((("4048515") or ("4327285") or ("4953166") or ("5025446") or ("5271025") or ("5272708") or ("5317376") or ("5361268") or ("5488626") or ("5491707") or ("5742634") or ("5867305") or ("5930030") or ("5933271") or ("6031854") or ("6172996") or ("6208673") or ("6252892") or ("6347102") or ("6373864") or ("6417955"))).PN.
59	IS&R	2	((("4965803") or ("5099486"))).PN.
60	BRS	7	(cw (continuous adj wave)) adj modelocking
61	BRS	90	(cw (continuous adj wave)) adj (modelocking mode-lock mode-locked mode-locking)

	DBs	Time Stamp	Comm nts	Error Definition
54	USPAT	2002/09/17 15:12		
55	USPAT	2002/09/17 15:09		
56	USPAT	2002/09/17 15:09		
57	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/09/17 15:19		
58	USPAT	2002/09/17 15:23		
59	USPAT	2002/09/18 11:03		
60	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/09/18 13:51		
61	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/09/18 14:07		

	Errors
54	0
55	0
56	0
57	0
58	0
59	0
60	0
61	0